




Side ventilation & roll-up screens



Image	Name	Productnumber
	aircraft cable black poly coated 1x7 1,7- 2,5mm	
	Length (m): 1	40025027
	Length (m): 500	40025026
	Length (m): 1000	40025025
	Film clip	
	Version: 27.59	22000557
	Version: 32.59	22000556
	Wire tightener compact version for roll up	
	PU (Pcs): 1, Version: Sendzimier galvanised	25250060-1
	PU (Pcs): 100, Version: Stainless Steel	25250066



TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-
15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Image	Name	Productnumber
	PU (Pcs): 200, Version: Sendzimier galvanised	25250060
	Cable track	
	Größe:: 10x10, Version:: Startclip	33201100
	Größe:: 10x10, Version:: 204 mm	33201101
	Größe:: 10x10, Version:: Endclip	33201102
	Größe:: 10x10, Version:: 1020 mm	33201103
	Größe:: 10x16, Version:: 204 mm	33201106
	Größe:: 10x16, Version:: Startclip	33201107
	Größe:: 10x16, Version:: Endclip	33201108
	Größe:: 20x20, Version:: 1190 mm	33202020
	Größe:: 20x20, Version:: Endclip	33202022
	Größe:: 20x20, Version:: Startclip	33202051
	Größe:: 20x50, Version:: Startclip	33202021
	Größe:: 20x50, Version:: 1190 mm	33202050
	Größe:: 20x50, Version:: Endclip	33202052
	Poly cord, Black line -	40102005

Erstellt am 02.07.2026.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.





Image	Name	Productnumber
	Tube connectors halves 1" - incl. 4 bolts M8 x 45	
	PU: 1	03032646
	PU: 25	03032645
	Mounting bracket for tube motor 10 mm	33100059
	Guiding unit for tube motor RB40 /50/ TGU	33100200
	Steel tube galv narrowed	
	PU: Bunch	38012641
	PU: loose	38012644




Image	Name	Productnumber
	Guide rail for tube motor	
	Length (mm): 4000	33100104
	Length (mm): 5000	33100105
	Length (mm): 6000	33100106
	Length (mm): 7000	33100107
	FRM50-tube motor-50-12-230	33100052
	Steel tube - 32/1,5, galvanized, swaged - 6500 mm	
	PU: Bunch	03032642
	PU: loose	03032640





Image	Name	Productnumber
	Roll up bracket for energy chain	33201104
	Tube motor RB50E+3.5 - 230\50\VK10\B50\L772	33100067
	Steel tube, galvanized 1"	
	PU: Bunch	38012601
	PU: loose	38012600
	Endguide with bearing for tube motor	
	Version: 50 mm	25250015
	Version: 63 mm	25250016





Image	Name	Productnumber
	Tube motor Ridder RB120-11-44\230\1\50\36 - 230V, 120 Nm	33100120
	Al. tube for roll up curtains 50mm Type 2 L=6,40mm - 2 grooves	
	Length (cm): 600, PU: loose	37025600
	Length (cm): 640, PU: loose	37024640
	Length (cm): 640, PU: Bunch	37025640
	Adaptor Tube	24100401
	Adaptor axle 26	24100402






Image	Name	Productnumber
	<p>Tube motor RB50-3.5-13\230\1\50/60\38\16 - 230 V</p>	<p>33100066</p>
	<p>Mounting bracket for tube motor 16 mm</p>	<p>33100064</p>
	<p>RPU 24V\4-20mA\V2\SET</p>	<p>32200027</p>
	<p>Motor gearbox Ridder RW 45-3\400-450 Volt</p>	<p>32035221</p>
	<p>Motor gearbox RW 405 - 400-450 Volt - 3 Phase / 5,0 rpm - Ridder Art.-Nr.: 502220</p>	<p>32535380</p>



Image	Name	Productnumber
	<p>Aluminum tube for rollup curtains 50 mm Type I</p>	
	<p>Length (cm): 500, PU: loose</p>	<p>37023500</p>
	<p>Length (cm): 500, PU: Bunch</p>	<p>37023501</p>
	<p>Length (cm): 600, PU: loose</p>	<p>37023600</p>
	<p>Length (cm): 640, PU: loose</p>	<p>37023640</p>
	<p>Length (cm): 640, PU: Bunch</p>	<p>37023641</p>
	<p>Motor gearbox RW 245 400-460Volt/3-Phase/3 rpm</p>	<p>32435380</p>
	<p>Guiding unit for tube motor VK16\L170</p>	<p>33100201</p>
	<p>Vent pulley unit ribbon 20 mm, black - PES multifilament 1100 dtex on disc spool - PU = 250m</p>	<p>01200303</p>





Image	Name	Productnumber
	<p>U-joint with bolts and nuts - (without adaptor)</p>	
	<p>PU (Pcs): 1</p>	<p>24100104-1</p>
	<p>PU (Pcs): 18</p>	<p>24100104</p>
	<p>Adjusting switch RB50E+ / RB120E+ - Ridder Art. Nr.:772001</p>	<p>33100057</p>
	<p>Handle (200 mm) for manual gear R8 and R16</p>	<p>25000502</p>
	<p>Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 06</p>	<p>31147725</p>






Image	Name	Productnumber
	<p>Aluminum splice for rollup 230 mm, 50mm - PU = 85 pcs</p>	<p>37000231</p>
	<p>Telescopic Shaft 1240- 1960mm</p>	<p>33100000</p>
	<p>Manual Gear R9E-TGU for small application - with locking device - 1:8</p>	<p>25000507</p>
	<p>Motor gearbox Ridder RW45-3-09\230\1\97</p>	<p>32013220</p>
	<p>Manual Gear R17E-TGU for small application - with locking device - 1:16</p>	<p>25000501</p>

Image	Name	Productnumber
	<p>Manual Gear R41-1P TGU for small application - with locking device - 1:40</p>	<p>25000506</p>
	<p>Motor gearbox Ridder RW 241-09/400/3/86//IP55</p>	<p>32035227</p>
	<p>Power drive Lock EWA 10.0505 50 Nm 5,6 U/min - Welle 06 400V - 12210.0505.06</p>	<p>31600506</p>
	<p>Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 66</p>	<p>31147728</p>
	<p>Tube motor RB40-11- 26\230\1\50\38\16 - 230V</p>	<p>33100041</p>





Image	Name	Productnumber
	<p>Lock EWA 14.6005 / 600 Nm / 400 V - 4,4 rpm - We 66</p>	<p>31140560</p>
	<p>Steel tube, galvanized swaged</p>	
	<p>PU: Bunch</p>	<p>03027641</p>
	<p>PU: loose</p>	<p>03027640</p>
	<p>Lock EWA 12.1505 / 150 Nm / 400 V / 50 Hz / E20 - 4,3 rpm - We 66</p>	<p>31147731</p>
	<p>Motor gearbox Ridder RW 45-5\400-450 Volt</p>	<p>32035220</p>

Image	Name	Productnumber
	<p>Lock EWA 10.0905 We06 400V END20.20</p>	<p>31147730</p>
	<p>Motor gearbox Ridder RW 245-37\110-115</p>	<p>32035224</p>
	<p>Adapter for telescope on</p>	<p>37023727</p>
	<p>Motor gearbox Ridder RW 45-1-09\400\3\97</p>	<p>32035229</p>
	<p>Motor gearbox RW 243 400-460Volt/3-Phase/3 rpm</p>	<p>32435381</p>

Image	Name	Productnumber
	<p>Motor gearbox Ridder RW403\400-450 Volt - 400- 450 V - 3 Phase / 3 rpm - Ridder Art.-Nr.: 502210</p>	<p>32535381</p>
	<p>Tube motor RB120E+11- 44\230\1\50\44\07</p>	<p>33100121</p>
	<p>Lock EWA 12.1505 150 Nm / 400 V / 50 Hz / E20 - 4,3 rpm - We 06</p>	<p>31147732</p>
	<p>Motor gearbox Ridder RW 45-1-09\230\1\97</p>	<p>32035228</p>
	<p>Guide unit for tube motors RB120E+\L (changeable)</p>	<p>33100202</p>




Image	Name	Productnumber
	Tower Roller Plus Guide Rail	
	Length (cm): 400	37023710
	Length (cm): 500	37023711
	Length (cm): 600	37023712
	Tower Roller Plus guide incl. guiding rails cover	37023726
	Tower-Roller Plus Set	
	Weight (kg): 15	37023713
	Weight (kg): 25	37023729
	Insect protection screen - no thrips 0,163 x 0,163 mm weight: 132 g/m	05323220

Image	Name	Productnumber
	<p>Tubular motor bracket 50.50 with insert 10x10</p>	<p>25250030</p>
	<p>EWA 52.2505 Electric drive 250 Nm 4,4 rpm We06 400 V</p>	<p>31147753</p>
	<p>EWA 52.3505 Electric drive 350 Nm 4,4 rpm We66 400 V</p>	<p>31147757</p>
	<p>EWA 52.2505 Electric drive 250 Nm 4.4 rpm We66 400V 50Hz</p>	<p>31147746</p>
	<p>Lock EWA 52.6005 600 Nm 4,4 rpm We66 400 V</p>	<p>31147755</p>

Image	Name	Productnumber
 <p>WE 06 WE 66</p>	<p>EWA 52.3505 Electric drive 350 Nm 4.4 rpm We06 400 V</p>	<p>31147752</p>
 <p>WE 06 WE 66</p>	<p>EWA 52.3505 Electric drive 350 Nm 4,4 rpm We66 400 V</p>	<p>31147756</p>
 <p>WE 06 WE 66</p>	<p>EWA 52.4505 Electric drive 450 Nm 4,4 rpm We06 400 V</p>	<p>31147754</p>
 <p>WE 06 WE 66</p>	<p>Lock EWA 50.1505 150 Nm 4,5 rpm We66 400V 50Hz</p>	<p>31147745</p>
 <p>WE 06 WE 66</p>	<p>Lock EWA 50.1505 150 Nm 4,5 rpm We66 400V 50Hz Kopie</p>	<p>31147749</p>

Image	Name	Productnumber
	<p>EWA 50.0905 Electric drive 90 Nm 4.5 rpm We06 400V 50Hz</p>	<p>31147748</p>
	<p>EWA 50.0505 Electric drive 50 Nm 4,5 rpm We06 400V 50Hz</p>	<p>31147747</p>
	<p>Double u-joint - without adapter</p>	<p>24100161</p>
	<p>Motor Gearbox RW245-37/400-450 Fett (Teleskop) Eco / 532259</p>	<p>32535384</p>
	<p>Strap tensioner set consisting of tensioner and strap holder</p>	<p>22000316</p>

Image	Name	Productnumber
	<p>Lock EWA 12.1509 / 150 Nm / 400 V - 8,8 rpm. - We 66</p>	<p>31147724</p>
	<p>Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm - Welle 66 (6-kant)</p>	<p>31147744</p>
	<p>PHL 55 shading fabric - 230 cm</p>	<p>19255230</p>
	<p>Phormitex PHL 20 Schatt.-Gewebe</p>	
	<p>Width (cm):: 190</p>	<p>19020190</p>
	<p>Width (cm):: 210</p>	<p>19020210</p>
	<p>Width (cm):: 230</p>	<p>19020230</p>
	<p>Width (cm):: 250</p>	<p>19020250</p>
	<p>Width (cm):: 270</p>	<p>19020270</p>





Image	Name	Productnumber
	PHL white darkening fabric for roll-up	
	Width (cm):: 190	19100190
	Width (cm):: 230	19101230
	Width (cm):: 250	19101250
	Width (cm):: 270	19101251
	Adaptor extended - Tube 27 x 1,5 galvanized	24100406
	Square gearbox SH40-40\1\WB50 - for roll up tubes - Ridder Art.-Nr. 513000	33100060
	Protection Cover - 2-parts for RW 45	04200311





Image	Name	Productnumber
	Protection Cover - 2-parts for RW 200-600	04200310
	Adaptor - Tube 27 x 1,5	24100405
	Motor Control Unit RMC400\400\3\0,4-0,6 A	35053222
	PhormiTex Crystal V	
	Width (cm):: 190	19702190
	Width (cm):: 210	19702210
	Width (cm):: 230	19702230
	Width (cm):: 250	19702250
	Width (cm):: 270	19702270






Image	Name	Productnumber
	<p>Thimble for cable 3 mm steel galv. DIN65457</p>	<p>01100108</p>
	<p>Tube motor control unit Ridder RMC50-115 V\1\3D\3.0</p>	<p>35050110</p>
	<p>Adaptor for tower-roll 50 mm for RW 240</p>	<p>37023703</p>
	<p>Aluminum splices for roll up tube 250 mm, 63mm - PU = 45 pcs</p>	<p>37000232</p>
	<p>Adapter extended Tube 1Z x 2,5, 32 x 1,5 galvanized</p>	<p>24100407</p>








Image	Name	Productnumber
	<p>Tube motor control unit Ridder RMC50- 230V\1\3D\3.0</p>	<p>35050220</p>
 <p><small>We 06 W. 290 mm Achtung Abbildung mit Welle 06, nicht mit Welle 06</small></p>	<p>Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm 400V - We 06</p>	<p>31147743</p>
 <p><small>MADE IN GERMANY</small></p>	<p>Nocturna - BlackOut roll-up</p>	
	<p>Color: grey-grey, Width (cm):: 325</p>	<p>15000282</p>
	<p>Color: grey-silver, Width (cm):: 325</p>	<p>01100105</p>
	<p>Color: silver-silver, Width (cm):: 320</p>	<p>15000283</p>
	<p>GEV-AL roll up screen, white</p>	
	<p>Width (cm):: 190</p>	<p>19200190</p>

Image	Name	Productnumber
	Width (cm):: 230	19201230
	Adapter for telescopic shaft	33100002
	Motor gearbox RW603\400-450 Volt - 400-450 V	32435382
	Handle for Manual Gear LG MT	
	Length (cm): 120	25000605