

Top ventilation






Image	Name	Productnumber
	Diabolo roll 27.32	
	PU (Pcs): 1	22000121-1
	PU (Pcs): 100	22000120
	PU (Pcs): 1000	22000121
	Pinion house unit for rack Ridder	
	Version: TU11-22	32210022
	Version: TU11-30	32210030
	Version: TU6-22	32210008
	Version: TU6-30	32210007
	Window connector for TU11-22 + TU11-30 PU = 10 pcs	32200101

Image	Name	Productnumber
	Pillow block 1" with bearing	
	Bearing: 6207 ZZ	24000100
	Bearing: SB 207	24000101
	Rack 30-3 \Ridder TU11-30	
	Length (mm): 691, Version: Straight	32300900
	Length (mm): 792, Version: Straight	32300899
	Length (mm): 892, Version: Straight	32300898
	Length (mm): 1043, Version: Straight	32301048
	Length (mm): 1043, Version: Curved, inside toothed	32311048
	Length (mm): 1043, Version: Curved, outside toothed	32321048
	Length (mm): 1244, Version: Straight	32301250
	Length (mm): 1244, Version: Curved, inside toothed	32311250



TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-
15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Image	Name	Productnumber
	Length (mm): 1244, Version: Curved, outside toothed	32321250
	Length (mm): 1345, Version: Straight	32301350
	Length (mm): 1345, Version: Curved, inside toothed	32311350
	Length (mm): 1345, Version: Curved, outside toothed	32321350
	Length (mm): 1445, Version: Straight	32301451
	Length (mm): 1445, Version: Curved, inside toothed	32311451
	Length (mm): 1445, Version: Curved, outside toothed	32321451
	Length (mm): 1546, Version: Straight	32301551
	Length (mm): 1546, Version: Curved, inside toothed	32311551
	Length (mm): 1546, Version: Curved, outside toothed	32321551
	Length (mm): 1646, Version: Straight	32301652
	Length (mm): 1646, Version: Curved, inside toothed	32311652
	Length (mm): 1646, Version: Curved, outside toothed	32321652
	Length (mm): 1747, Version: Straight	32301752
	Length (mm): 1747, Version: Curved, inside toothed	32311752
	Length (mm): 1747, Version: Curved, outside toothed	32321752

Erstellt am 04.07.2026.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.


All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.



TGU GmbH & Co. KG
 Joseph-Monier-Str. 2
 48268 Greven
 Deutschland

Kontakt:
 Telefon: +49 2575/95587-15
 Fax: +49 2575/95587-87
 E-Mail: info@tgu-shop.com

Rechtliches:
 Amtsgericht Ibbenbüren
 USt-ID-Nr.:
 DE 125543036

Image	Name	Productnumber
	Length (mm): 1847, Version: Straight	32301852
	Length (mm): 1847, Version: Curved, inside toothed	32311852
	Length (mm): 1847, Version: Curved, outside toothed	32321852
	Length (mm): 1948, Version: Straight	32301953
	Length (mm): 1948, Version: Curved, inside toothed	32311953
	Length (mm): 1948, Version: Curved, outside toothed	32321953
	Length (mm): 2048, Version: Straight	32302051
	Length (mm): 2249, Version: Straight	32302249
	Length (mm): 2450, Version: Straight	32302300
	Length (mm): 3204, Version: Straight	32303204
	Length (mm): 4210, Version: Straight	32304210
	Length (mm): 5316, Version: Straight	32305316
	Slide bearing plate B1"	
	Length: B062\L092, Version: Straight	32250062

Erstellt am 04.07.2026.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.



TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-
15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com




Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Image	Name	Productnumber
	Length: B067\L097, Version: Straight	32250067
	Length: B070\L100, Version: Right-angled	32251070
	Length: B072\L102, Version: Straight	32250072
	Length: B077\L107, Version: Straight	32250077
	Length: B080\L110, Version: Right-angled	32251080
	Length: B087\L117, Version: Straight	32250087
	Length: B090\L120, Version: Right-angled	32251090
	Length: B097\L127, Version: Straight	32250097
	Length: B100\L130, Version: Right-angled	32251100
	Length: B107\L137, Version: Straight	32250107
	Length: B117\L147, Version: Straight	32250117
	Length: B153\L183, Version: Right-angled	32251153
	Length: B158\L188, Version: Straight	32250158
	Length: B167\L197, Version: Straight	32250167
	Length: B178\L208, Version: Straight	32250178
	Length: B187\L217, Version: Straight	32250187

Erstellt am 04.07.2026.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

Image	Name	Productnumber
	diabolo roll big	22000150
	Alu-Support plate 40	24100603
	Rack 22-3 \ Ridder TU11-22	
	Length (mm): 390, Version: Straight	32200395
	Length (mm): 490, Version: Straight	32200495
	Length (mm): 490, Version: Curved, inside toothed	32220495
	Length (mm): 591, Version: Straight	32200596
	Length (mm): 591, Version: Curved, inside toothed	32220596
	Length (mm): 591, Version: Curved, outside toothed	32230596
	Length (mm): 691, Version: Straight	32200696



TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-
15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Image	Name	Productnumber
	Length (mm): 691, Version: Curved, inside toothed	32220696
	Length (mm): 691, Version: Curved, outside toothed	32230696
	Length (mm): 741, Version: Straight	31201701
	Length (mm): 741, Version: Curved, inside toothed	31201703
	Length (mm): 792, Version: Straight	32200797
	Length (mm): 792, Version: Curved, inside toothed	32220797
	Length (mm): 892, Version: Straight	32200898
	Length (mm): 892, Version: Curved, inside toothed	32220898
	Length (mm): 892, Version: Curved, outside toothed	32230898
	Length (mm): 1043, Version: Straight	32201048
	Length (mm): 1043, Version: Curved, inside toothed	32221048
	Length (mm): 1043, Version: Curved, outside toothed	32231048
	Length (mm): 1244, Version: Straight	32201250
	Length (mm): 1244, Version: Curved, inside toothed	32221250
	Length (mm): 1244, Version: Curved, outside toothed	32231250
	Length (mm): 1345, Version: Straight	32201350

Erstellt am 04.07.2026.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.




Image	Name	Productnumber
	Length (mm): 1445, Version: Straight	32201451
	Length (mm): 1445, Version: Curved, inside toothed	32221451
	Length (mm): 1445, Version: Curved, outside toothed	32231451
	Length (mm): 1546, Version: Straight	32201551
	Length (mm): 1646, Version: Straight	32201652
	Pinion house protection cover 2-parts - incl. bolts 42000418 (4x) - PU = 25 pcs	32200006
	Grease waterproof 400 g - PU = 24 pcs	95206000
	Steel tube galv narrowed	
	PU: Bunch	38012641
	PU: loose	38012644





Image	Name	Productnumber
	Swivel pulley 50	
	PU (Pcs): 1, Version: Single	01200100-1
	PU (Pcs): 1, Version: Double	01200200-1
	PU (Pcs): 25, Version: Single	01200100
	PU (Pcs): 25, Version: Double	01200200
	Bolted chain coupling for RW45 - tube	37037100
	TRN 520-3S-H60 Geh	32400160
	diabolo-roll 27.32 with stamped metal housing	
	PU (Pcs): 1	04200400-1




Image	Name	Productnumber
	PU (Pcs): 50	04200400
	Rack Ridder m4/b16	
	Length (mm): 1050	31161050
	Length (mm): 1250	31161250
	Length (mm): 1400	31161400
	Length (mm): 1550	31161550
	coupling unit PH40\B27x1.5\ST - to connect rack PH 40-3 with push-pull tube d. 27 mm	
	Size Ø: 27	32300100
	Size Ø: 32	32300099
	Coupling plate for RackDrive 700 and TRN rack drives - Tube	32211627





Image	Name	Productnumber
	Steel tube galv. narrowed, 1" / 2,5mm / L= 6,50 m	
	PU: Bunch	38012642
	PU: loose	38012646
	Steel tube - 32/1,5, galvanized, swaged - 6500 mm	
	PU: Bunch	03032642
	PU: loose	03032640
	Guide roller for 20 mm lifting belts	04200120
	Sleeve coupling P26.5	32300200





Image	Name	Productnumber
	Grease waterproof 1 L	32200009
	Grease waterproof 400 g.	32200011
	Steel tube, galvanized 1"	
	PU: Bunch	38012601
	PU: loose	38012600
	weld/sleeve coupling P26.5\B5/4"\ST\L44mm\WELD	32300098





Image	Name	Productnumber
	<p>Mounting plate 85-105/H90 / 417636</p>	<p>32111203</p>
	<p>RPU 24V\4-20mA\V2\SET</p>	<p>32200027</p>
	<p>Motor gearbox Ridder RW 45-3\400-450 Volt</p>	<p>32035221</p>
	<p>Diabolo roll 27.32 - with stamped metal bracket sideguides</p>	
	<p>PU (Pcs): 1</p>	<p>04200300-1</p>
	<p>PU (Pcs): 50</p>	<p>04200300</p>




Image	Name	Productnumber
	<p>Motor gearbox RW 405 - 400-450 Volt - 3 Phase / 5,0 rpm - Ridder Art.-Nr.: 502220</p>	<p>32535380</p>
	<p>Motor gearbox RW 245 400-460Volt/3-Phase/3 rpm</p>	<p>32435380</p>
	<p>TRN 520-3S-H40 pinion house unit /Ridder/ H= 40mm</p>	<p>32400140</p>
	<p>Weld/sleeve coupling 1" - for 1" - tubular shaft P26.5\B1\L40\WELD</p>	<p>32300103</p>
	<p>Handle (200 mm) for manual gear R8 and R16</p>	<p>25000502</p>






Image	Name	Productnumber
	<p>Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 06</p>	<p>31147725</p>
	<p>Manual Gear R9E-TGU for small application - with locking device - 1:8</p>	<p>25000507</p>
	<p>Mounting plate 105-130\B163 / 413922</p>	<p>32111201</p>
	<p>Motor gearbox Ridder RW45-3-09\230\1\97</p>	<p>32013220</p>
	<p>Manual Gear R17E-TGU for small application - with locking device - 1:16</p>	<p>25000501</p>


Image	Name	Productnumber
	<p>Manual Gear R41-1P TGU for small application - with locking device - 1:40</p>	<p>25000506</p>
	<p>Motor gearbox Ridder RW 241-09/400/3/86//IP55</p>	<p>32035227</p>
	<p>Power drive Lock EWA 10.0505 50 Nm 5,6 U/min - Welle 06 400V - 12210.0505.06</p>	<p>31600506</p>
	<p>Grease waterproof 5 Kg</p>	<p>32200003</p>
	<p>Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 66</p>	<p>31147728</p>

Image	Name	Productnumber
	<p>Lock EWA 14.6005 / 600 Nm / 400 V - 4,4 rpm - We 66</p>	<p>31140560</p>
	<p>Pinion house unit Ridder TU21-40 - Ridder Art.-Nr.: 500040</p>	<p>32200021</p>
	<p>Lock chain coupling KKS 10 - 20610.6681.34</p>	<p>31600700</p>
	<p>Lock EWA 12.1505 / 150 Nm / 400 V / 50 Hz / E20 - 4,3 rpm - We 66</p>	<p>31147731</p>
	<p>Mounting plate 85-105/H120 / 417643</p>	<p>32111204</p>

Image	Name	Productnumber
	<p>Motor gearbox Ridder RW 45-5\400-450 Volt</p>	<p>32035220</p>
	<p>Lock EWA 10.0905 We06 400V END20.20</p>	<p>31147730</p>
	<p>Motor gearbox Ridder RW 245-37\110-115</p>	<p>32035224</p>
	<p>Motor mounts 2.2 for motor gearbox Ridder RW 45 on TGU-systems</p>	<p>32135145</p>
	<p>Motor gearbox Ridder RW 45-1-09\400\3\97</p>	<p>32035229</p>





Image	Name	Productnumber
	<p>Motor gearbox RW 243 400-460Volt/3-Phase/3 rpm</p>	<p>32435381</p>
	<p>Motor gearbox Ridder RW403\400-450 Volt - 400- 450 V - 3 Phase / 3 rpm - Ridder Art.-Nr.: 502210</p>	<p>32535381</p>
	<p>Diabolo roll 27.32 Set 3 with variable mounting plate</p>	
	<p>PU (Pcs): 1</p>	<p>04200500-1</p>
	<p>PU (Pcs): 50</p>	<p>04200500</p>
	<p>Lock EWA 12.1505 150 Nm / 400 V / 50 Hz / E20 - 4,3 rpm - We 06</p>	<p>31147732</p>





Image	Name	Productnumber
	<p>Worm drive 1:16</p>	
	<p>Working length (m): 2</p>	<p>25000700</p>
	<p>Working length (m): 4</p>	<p>25000701</p>
	<p>Motor gearbox Ridder RW 45-1-09\230\1\97</p>	<p>32035228</p>
	<p>Lock KGO 32.1115 150Nm - 1:1 - We 73</p>	<p>31600519</p>
	<p>Insect protection screen - no thrips 0,163 x 0,163 mm weight: 132 g/m</p>	<p>05323220</p>
	<p>Bearing plate 34 mm (60 mm tube) - PU = 60 pcs</p>	<p>24100300</p>





Image	Name	Productnumber
	<p>Cable pulley 52/4 mm with holder for lifting / lowering heater</p>	
	<p>PU (Pcs): 1</p>	<p>04400094-1</p>
	<p>PU (Pcs): 25</p>	<p>04400094</p>
	<p>Diabolo roll 27.32</p>	
	<p>PU (Pcs): 1</p>	<p>04200301-1</p>
	<p>PU (Pcs): 100</p>	<p>04200301</p>
	<p>Mounting plate 105-130\B163 / 413922</p>	<p>32111207</p>
	<p>EWA 52.2505 Electric drive 250 Nm 4,4 rpm We06 400 V</p>	<p>31147753</p>

Image	Name	Productnumber
	<p>EWA 52.3505 Electric drive 350 Nm 4,4 rpm We66 400 V</p>	<p>31147757</p>
	<p>EWA 52.2505 Electric drive 250 Nm 4.4 rpm We66 400V 50Hz</p>	<p>31147746</p>
	<p>Lock EWA 52.6005 600 Nm 4,4 rpm We66 400 V</p>	<p>31147755</p>
	<p>EWA 52.3505 Electric drive 350 Nm 4.4 rpm We06 400 V</p>	<p>31147752</p>
	<p>EWA 52.3505 Electric drive 350 Nm 4,4 rpm We66 400 V</p>	<p>31147756</p>


Image	Name	Productnumber
	<p>EWA 52.4505 Electric drive 450 Nm 4,4 rpm We06 400 V</p>	<p>31147754</p>
	<p>Lock EWA 50.1505 150 Nm 4,5 rpm We66 400V 50Hz</p>	<p>31147745</p>
	<p>Lock EWA 50.1505 150 Nm 4,5 rpm We66 400V 50Hz Kopie</p>	<p>31147749</p>
	<p>EWA 50.0905 Electric drive 90 Nm 4.5 rpm We06 400V 50Hz</p>	<p>31147748</p>
	<p>EWA 50.0505 Electric drive 50 Nm 4,5 rpm We06 400V 50Hz</p>	<p>31147747</p>

Image	Name	Productnumber
	<p>Motor Gearbox RW245-37/400-450 Fett (Teleskop) Eco / 532259</p>	<p>32535384</p>
	<p>TGU Shaft Bearing 1" - Retrofit Kit</p>	
	<p>Version: H125</p>	<p>24100510</p>
	<p>Version: H62</p>	<p>24100511</p>
	<p>Version: H80</p>	<p>24100512</p>
	<p>Lock EWA 12.1509 / 150 Nm / 400 V - 8,8 rpm. - We 66</p>	<p>31147724</p>
	<p>Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm - Welle 66 (6-kant)</p>	<p>31147744</p>



Image	Name	Productnumber
	Rack Ridder m4/b20	
	Length (mm): 1050	31201050
	Length (mm): 1250	31201250
	Length (mm): 1400	31201400
	Length (mm): 1550	31201550
	Length (mm): 1700	31201700
	slide bearing plate straight B5/4"	
	Length: B055\L090, Version: Straight	32260055
	Length: B160\L200, Version: Straight	32260158
	Length: B178\L213, Version: Straight	32260178
	Length: H070\L105, Version: Right- angled	32261070
	Length: H090\L125, Version: Right- angled	32261090
	Length: H100\L135, Version: Right- angled	32261100





Image	Name	Productnumber
	Length: H133\L168, Version: Right-angled	32261133
	Length: H153\L188, Version: Right-angled	32261153
	aircraft cable galv.7x7 4 mm x 500 m	
	Length (m): 100	40001004
	Length (m): 500	40010004
	Protection Cover - 2-parts for RW 45	04200311
	Protection Cover - 2-parts for RW 200-600	04200310
	Motor Control Unit RMC400\400\3\0,4-0,6 A	35053222





Image	Name	Productnumber
	TR25I/46- S750\L3000\GABEL	32400200
	Pinion house protection cover - PU = 25 pcs	32200002
 <p><small>We 06 Wl. 260 mm Achtung Abbildung mit Welle 06, nicht mit Welle 05</small></p>	Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm 400V - We 06	31147743
	Worm drive 1:40	
	Working length (m): 2	25000705
	Working length (m): 4	25000706








Image	Name	Productnumber
	aircraft cable galv. 7x7 5 mm x 500 m	
	Length (m): 100	40001005
	Length (m): 500	40010005
	Safety cover for racks - Extension 50 cm	32200103
	Motor gearbox RW603\400-450 Volt - 400- 450 V	32435382
	Handle for Manual Gear LG MT	
	Length (cm): 120	25000605

Image	Name	Productnumber
	Bolted chain coupling for RW45 - tube	37037125
	Diaboloroll for 42 mm tube	04200119
	Plug, small for pinion house	32200005