TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Overview

Cable pulley 75/8

Product number: 04300097-1





Image

Options

Version:

Ball bearing | Plain bearing

PU

1 | Box

TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Description

Due to the extra wide plain bearing, the 75 mm pulley is guided particularly safely on the axle and has a high stability under shear loads.

Together with the plain bearing, the pulley is made of 100 % plastic and is therefore completely protected against corrosion and other environmental influences.




- Impact resistant pulley
- Plain bearing inserts
- Load capacity: up to 150 kg
- Made in Germany

TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036



- Outer diameter: 75 mm
- compatible with 10 mm bolt



- Total width: 20 mm
- Rope diameter: up to Ø 8 mm