



TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-
15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Overview

Fan ZN045 - Ecoline

Product number: 21100513



Erstellt am 04.07.2026.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.



TGU GmbH & Co. KG
Joseph-Monier-Str. 2
48268 Greven
Deutschland

Kontakt:
Telefon: +49 2575/95587-
15
Fax: +49 2575/95587-87
E-Mail: info@tgu-shop.com

Rechtliches:
Amtsgericht Ibbenbüren
USt-ID-Nr.:
DE 125543036

Description

- **Application:** Efficient air circulation in greenhouses with low energy consumption in compliance with ErP directive
- **Material:** Rotor made of white-coated steel - blades made of high-performance composite material (black)
- **Power Supply:** 1~200-277 V, 50/60 Hz, 1210 W, 1.05-0.78 A
- **Speed:** 1100 rpm
- **Protection Class:** IP54, thermal class THCL 155
- **Installation:** Mounting position H/Vo, integrated controller
- **Motor Protection:** Integrated active temperature management
- **Bearing Quality:** Long-life grease-sealed ball bearings
- **Safety:** Protective ring guard on both sides
- **Key Features:**
 - Optimal temperature distribution in the greenhouse
 - Serrated fan blades for improved airflow
 - Reduced condensation and water droplets - lowers risk of plant diseases and fungal growth
 - Long throw distance with low energy usage
 - Optimized airflow due to special inlet ring
 - Extremely quiet operation
 - Speed control via potentiometer possible
 - Lightweight yet sturdy construction
 - All mounting parts made of stainless steel
- **Weight:** 11.20 kg
- **ErP Data:** Efficiency η_{statA} : 56.6%, performance ratio $N_{\text{ist}} = 67.2 / N_{\text{soll}} = 40$

Fan ZN045 - Ecoline is specifically designed to provide efficient air circulation in greenhouses, delivering uniform temperature distribution while keeping energy consumption low in compliance with the ErP directive.

The fan features serrated blades and a precision air inlet ring that optimize airflow and minimize moisture formation—reducing the potential for fungal and disease-related crop loss. Its low-noise design and lightweight construction make it suitable for continuous operation in demanding greenhouse conditions.

Equipped with an integrated controller, active motor temperature management, and stainless steel mounting parts, this fan combines performance, safety, and durability. Speed adjustment via potentiometer is supported.